


Application No. 10/749,269

In the Abstract

Please substitute the following amended Abstract for the Abstract as currently pending:

Improved organophotoreceptor comprises an electrically conductive substrate and a photoconductive element on the electrically conductive substrate, the photoconductive element comprising:

(a) a charge transport material having the formula



where Y₁ and Y₂ are, each independently, an arylamine group;

R₁ and R₂ comprise, each independently, H, an alkyl group, an alkenyl group, a heterocyclic group, or an aromatic group;

X₁ and X₂, each independently, are bridging groups;

E₁ and E₂ are, each independently, an epoxy group; and

Z is a linking group comprising an alkyl group, an alkenyl group, a heterocyclic group, or an aromatic group; and

(b) a charge generating compound.

The charge transport materials can be crosslinked to a polymeric bind, either directly or through a crosslinking agent. Corresponding electrophotographic apparatuses and imaging methods are described.